

Ref no: 315111017
 From: Public
 Date: 11/10/17
 Subject: Children attending A and E with upper and lower urinary tract infections

REQUEST

1. The number of children attending A and E with upper and lower urinary tract infections also referred to as bladder infection, kidney infection, pyelonephritis, cystitis
2. The number of children admitted into hospital with upper and lower urinary tract infections (bladder and kidney infections), pyelonephritis, cystitis
3. The number of children diagnosed with urinary sepsis.
- 4, The number of deaths of children from sepsis as a result of a kidney or urinary tract infection or pyelonephritis or urinary sepsis

In children 18 and under for the time period January 2012 until December 2016

RESPONSE

1. The number of children attending A and E with upper and lower urinary tract infections also referred to as bladder infection, kidney infection, pyelonephritis, cystitis

A&E does not keep or record that level of patient detail.

2. The number of children admitted into hospital with upper and lower urinary tract infections (bladder and kidney infections), pyelonephritis, cystitis

	2012	2013	2014	2015	2016	Total

Cystitis	6	3	2		3	14
Pyelonephritis	8	15	25	29	24	101
Neonatal urinary tract infection, for urinary infections originating in the perinatal period	3	7	6	12	6	34

3. The number of children diagnosed with urinary sepsis.

The clinical coding rules specify one code that equates to 'Urinary Tract Infections and Urinary Sepsis'. The response to question 3 is based on that one code. In addition, there are 15 patients who are included in the answers for both question 2 and question 3. This is due to the fact that this clinical diagnosis code was recorded in the primary diagnosis for these 15 patients.

	2012	2013	2014	2015	2016	Total
Urinary tract infections and urinary sepsis	152	173	192	156	193	866

4, The number of deaths of children from sepsis as a result of a kidney or urinary tract infection or pyelonephritis or urinary sepsis
0.