

If you require further advice
or are not sure then please
contact your GP or phone
111

Stitches and Steristrips

This leaflet can be made available
in alternative languages / formats
on request.

如有需要，本传单可提供其他语言/版式
此單張的其他語言/格式版本可按要求提供

Na żądanie ta ulotka może zostać
udostępniona
w innych językach/formatach.

Whiston Hospital
Warrington Road,
Prescot, Merseyside, L35 5DR
Telephone: 0151 426 1600

 /sthknhs  @sthk.nhs
www.sthk.nhs.uk

Author: ED Consultants
Department: Emergency Department
Document Number: STHK0821
Version: 001
Review date: 31/07/2021

Stitches

You have had _____ stitches inserted

The dressing should remain in place for _____ days.

Your stitches should be removed in _____ days.

Suture removal can be arranged via your local Treatment Room Service. These are usually based at the Walk-in centre.

You should receive a referral letter with the appropriate number at the top of your letter to arrange an appointment for review of your wound

Steristrips

Your wound has been repaired with steristrips (sometimes known as butterflies)

Please keep the wound clean and dry as this will assist the healing process

Your steristrips will need removing in _____ days.

Some patients are told they can remove their own steristrips. If this applies to you then remove by soaking with clean water and peeling off from outside to centre of the wound.

Some wounds closed with steristrips need further review to check that healing is adequate. This will be done at your local Treatment Room Service. These are usually based at the Walk-in centre. You should receive a referral letter with the appropriate number at the top of your letter to arrange an appointment for review of your wound

Scar Advice

You are likely to be left with a scar

2 weeks after the wound has healed gentle scar massage will help break down the scar tissue and reduce long term scarring.

Scars can take a year or more to fully heal

Seeking further help

If you have worries about the cut or:

- It becomes red or swollen
- There is pus or blood coming out of the wound
- The wound opens up again
- The wound becomes very painful

Please return for further assessment