

If you require further advice or are not sure then please contact your GP or phone 111

# Corneal Abrasion

This leaflet can be made available in alternative languages / formats on request.

*如有需要，本传单可提供其他语言/版式  
此單張的其他語言/格式版本可按要求提供*

Na żądanie ta ulotka może zostać udostępniona w innych językach/formatach.

Whiston Hospital  
Warrington Road,  
Prescot, Merseyside, L35 5DR  
Telephone: 0151 426 1600

 /sthknhs  @sthk.nhs  
[www.sthk.nhs.uk](http://www.sthk.nhs.uk)

**Author:** ED Consultants  
**Department:** Emergency Department  
**Document Number:** STHK7064  
**Version:** 004  
**Review date:** 01 / 01 / 2025

## What is a Corneal Abrasion?

A corneal abrasion is a scratch on the clear part of the front of the eye, called the cornea.

Abrasions are very painful because there are many nerves supplying the cornea.

The pain gets better as the eye heals, but this may take 24-48 hours.

If the abrasion involves the central part of the cornea, the vision may also be temporarily affected.

Apart from the pain, the eye may be watery, red or sensitive to light. Sunglasses may help to reduce light sensitivity

## Pain Control

Anaesthetic drops will be used to numb the eye before examination.

They can not be prescribed to take home as they slow healing and impair your blink reflex.

The pain will gradually return as the anaesthetic wears off, usually after 20-60 minutes.

- We recommend taking paracetamol regularly 4 times a day and ibuprofen 3 times a day. Please note that Ibuprofen should not be taken if you suffer with kidney problems, asthma, stomach ulcers/reflux, heart failure or are pregnant.
- If you are prescribed co-codamol please note the following: it contains paracetamol so do not take other paracetamol based products, it contains codeine that can cause constipation and can impair your ability to drive.

## Antibiotic treatment

- Avoid rubbing the eye.
- Use the antibiotic ointment as prescribed.

To apply:

- Pull your lower eyelid gently down
- Put a pea-sized amount of ointment along the inside of the lower eyelid.
- Close your eyes for 30 seconds.

When you reopen them your vision will be blurred but this will settle quickly

## Follow-up

Not many corneal abrasions need follow-up as they heal well.

If however the abrasion is over the central part of the cornea you will be referred to our eye clinic. A specialist nurse will contact you by phone to offer an appropriate appointment.